



A part of your family....

V/4 97 MM Ø
(Suitable for 100 mm Bore Dia.)

S.S. Pumps

Performance At Rated Voltage i.e. 240v And 415v, 50Hz, Ac Supply.

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.								
						0	25	30	35	40	45	50	55
KMP-255	0.50	10	1.00	1Ø	HEAD IN METERS.	60	53	50	45	40	35	32	19
KMP-256	0.75	13	1.00	1Ø		75	68	60	59	52	43	40	29
KMP-257	1.00	18	1.00	1Ø / 3Ø		105	95	89	81	72	70	60	51
KMP-258	1.00	20	1.00	1Ø / 3Ø		115	101	97	88	80	71	66	55
KMP-259	1.50	23	1.25	1Ø / 3Ø		135	112	103	98	92	82	70	59
KMP-260	2.00	30	1.25	1Ø / 3Ø		175	152	140	130	120	97	82	66
KMP-261	7.50	55	1.25	3Ø		280	248	236	229	220	195	189	141
KMP-262	7.50	60	1.25	3Ø		320	266	260	251	240	203	198	152



A part of your family....

V/4 97 MM Ø
(Suitable for 100 mm Bore Dia.)

S.S. Pumps

Performance At Rated Voltage i.e. 240v And 415v, 50Hz, Ac Supply.

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	HEAD IN METERS.	DISCHARGE IN L.P.M.							
						0	30	35	45	50	55	65	75
KMP-263	0.50	07	1.00	1ø		45	35	32	30	28	22	15	08
KMP-264	0.75	10	1.00	1ø		60	54	51	46	40	31	23	16
KMP-265	1.00	12	1.25	1ø / 3ø		67	62	60	58	48	45	38	26
KMP-266	1.00	15	1.00	1ø / 3ø		90	72	68	65	60	51	42	34
KMP-267	1.00	16	1.00	1ø / 3ø		95	78	74	68	64	55	46	36
KMP-268	1.50	18	1.25	1ø / 3ø		110	92	87	80	72	62	54	42
KMP-269	1.50	20	1.25	1ø / 3ø		115	96	92	86	80	70	61	49
KMP-270	1.50	21	1.25	1ø / 3ø		123	105	95	91	84	72	66	53
KMP-271	2.00	25	1.25	1ø / 3ø		150	125	113	107	100	82	74	65
KMP-272	2.00	28	1.25	1ø / 3ø		158	131	121	118	112	94	85	71
KMP-273	3.00	30	1.25	1ø / 3ø		180	165	153	140	120	109	95	86
KMP-274	5.00	40	1.25	1ø / 3ø		250	225	203	186	160	155	141	124
KMP-275	7.50	45	1.25	3ø		270	258	243	237	222	212	198	180
KMP-276	7.50	50	1.25	3ø		295	281	269	254	238	229	209	191

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	HEAD IN METERS.	DISCHARGE IN L.P.M.							
						0	45	55	65	85	95	105	120
KMP-277	0.50	05	1.25	1ø		28	29	25	23	20	16	11	06
KMP-278	0.75	08	1.25	1ø		45	42	29	36	32	29	16	11
KMP-279	1.00	10	1.25	1ø / 3ø		58	54	52	50	40	33	23	13
KMP-280	1.50	12	1.50	1ø / 3ø		72	52	55	52	48	40	29	15
KMP-281	1.50	15	1.25	1ø / 3ø		90	85	80	70	60	51	40	28
KMP-282	2.00	20	1.50	1ø / 3ø		118	106	101	95	80	66	52	37
KMP-283	3.00	25	1.25	1ø / 3ø		145	132	126	121	100	86	64	51
KMP-284	3.00	28	1.25	1ø / 3ø		168	151	140	128	112	102	74	69
KMP-285	5.00	35	1.25	1ø / 3ø		210	196	190	171	140	135	120	90

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	HEAD IN METERS.	DISCHARGE IN L.P.M.							
						0	60	80	90	100	120	140	160
KMP-286	0.75	06	1.25	1ø		36	34	30	26	24	19	12	06
KMP-287	1.00	08	1.25	1ø / 3ø		44	40	36	34	32	26	20	10
KMP-288	2.00	15	1.50	1ø / 3ø		82	75	70	66	60	51	42	31
KMP-289	3.00	22	1.25	1ø / 3ø		130	102	96	93	88	73	54	40
KMP-290	5.00	30	1.25	1ø / 3ø		180	144	137	131	120	104	82	61



A part of your family....

V/4 97 MM Ø
(Suitable for 100 mm Bore Dia.)

S.S. Pumps

Performance At Rated Voltage i.e. 240v And 415v, 50Hz, Ac Supply.

MODEL NO.	H.P.	STAGE	OUTLET	PHASE		DISCHARGE IN L.P.M.							
						0	75	95	115	125	140	160	180
KMP-291	0.75	07	1.50	1ø / 3ø	HEAD IN METERS.	40	35	33	31	28	24	15	05
KMP-292	1.50	10	1.50	1ø / 3ø		57	50	47	42	40	30	25	11
KMP-293	2.00	12	1.50	1ø / 3ø		70	57	54	51	48	40	29	19
KMP-294	3.00	20	1.50	1ø / 3ø		115	98	94	90	80	66	45	29
KMP-295	5.00	25	1.50	1ø / 3ø		150	128	120	110	100	85	68	41
KMP-296	7.50	30	1.50	3ø		170	148	136	126	120	102	85	52

MODEL NO.	H.P.	STAGE	OUTLET	PHASE		DISCHARGE IN L.P.M.							
						0	115	130	150	165	185	200	220
KMP-297	1.00	05	1.50	1ø / 3ø	HEAD IN METERS.	30	26	23	22	20	16	09	05
KMP-298	2.00	10	2.00	1ø / 3ø		60	50	49	46	40	32	21	11
KMP-299	3.00	12	2.00	1ø / 3ø		73	59	54	50	48	42	28	15
KMP-300	3.00	15	2.00	1ø / 3ø		90	72	69	65	60	56	34	20
KMP-301	5.00	20	2.00	1ø / 3ø		120	98	91	85	80	65	41	26
KMP-302	7.00	25	2.00	3ø		150	112	106	103	100	82	52	35

MODEL NO.	H.P.	STAGE	OUTLET	PHASE		DISCHARGE IN L.P.M.							
						0	150	170	190	210	230	250	270
KMP-303	2.00	08	2.00	1ø / 3ø	HEAD IN METERS.	45	34	30	27	24	18	12	03
KMP-304	3.00	10	2.00	1ø / 3ø		60	41	37	33	30	25	18	07
KMP-305	7.50	20	2.00	1ø / 3ø		120	72	68	65	60	52	42	30

MODEL NO.	H.P.	STAGE	OUTLET	PHASE		DISCHARGE IN L.P.M.							
						0	150	170	190	210	230	250	270
KMP-306	1.50	07	1.50	1ø / 3ø	HEAD IN METERS.	40	32	29	26	21	15	11	05
KMP-307	3.00	08	2.00	1ø / 3ø		48	34	30	28	24	21	18	11
KMP-308	5.00	10	2.00	1ø / 3ø		60	50	44	40	30	26	22	16
KMP-309	5.00	15	2.00	1ø / 3ø		90	65	58	51	45	39	31	26

MODEL NO.	H.P.	STAGE	OUTLET	PHASE		DISCHARGE IN L.P.M.							
						0	20	30	40	50	60	70	80
KMP-310	1.50	25	1.25	1ø / 3ø	HEAD IN METERS.	142	136	120	101	76	51	25	11
KMP-311	1.50	28	1.25	1ø / 3ø		160	154	131	112	98	60	32	15
KMP-312	2.00	34	1.25	1ø / 3ø		190	176	155	139	110	81	47	32
KMP-313	3.00	34	1.25	1ø / 3ø		200	180	165	142	115	85	51	35
KMP-314	3.00	38	1.25	1ø / 3ø		210	195	180	152	120	90	60	44
KMP-315	5.00	48	1.25	1ø / 3ø		280	260	245	230	170	130	80	56
KMP-316	5.00	52	1.25	1ø / 3ø		300	282	261	252	196	151	97	68



A part of your family....

V/5 SS/SS 123 MM Ø

(Suitable for 150 mm Bore Dia.)

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						140	125	115	100	95	75	60
KMP-156	3.00	10	2.00	3ø	HEAD IN METERS.	50	60	70	80	90	100	110
KMP-157	5.00	16	2.00	3ø		80	96	112	128	144	160	175
KMP-158	6.00	20	2.00	3ø		100	120	140	160	180	200	220
KMP-159	7.50	24	2.00	3ø		120	144	168	192	216	240	264
KMP-160	7.50	25	2.00	3ø		125	150	175	200	225	250	275
KMP-161	10.00	3.0	2.00	3ø		150	180	210	240	270	300	330
KMP-162	10.00	32	2.00	3ø		160	192	224	256	288	320	350
KMP-163	10.00	35	2.00	3ø		175	210	245	280	315	350	385

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						160	150	135	125	115	105	90
KMP-164	3.00	07	2.00	3ø	HEAD IN METERS.	35	42	49	56	63	70	77
KMP-165	5.00	12	2.00	3ø		60	72	84	96	108	120	132
KMP-166	6.00	15	2.00	3ø		75	90	105	120	135	150	165
KMP-167	7.50	18	2.00	3ø		90	108	126	144	162	180	198
KMP-168	7.50	20	2.00	3ø		100	120	140	160	180	200	220
KMP-169	10.00	24	2.00	3ø		120	144	168	192	216	240	264
KMP-170	10.00	25	2.00	3ø		125	150	175	200	225	250	275



A part of your family....

V/5 SS/SS 123 MM Ø

(Suitable for 150 mm Bore Dia.)

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						250	230	205	180	160	140	110
KMP-171	3.00	06	2.00	3ø	HEAD IN METERS.	30	36	42	48	54	60	66
KMP-172	5.00	10	2.00	3ø		50	60	70	80	90	100	110
KMP-173	6.00	12	2.00	3ø		60	72	84	96	108	120	132
KMP-174	7.50	14	2.00	3ø		70	84	98	112	126	140	154
KMP-175	7.50	15	2.00	3ø		75	90	105	120	135	150	165
KMP-176	10.00	18	2.00	3ø		90	108	126	144	162	180	198
KMP-177	10.00	20	2.00	3ø		100	120	140	160	180	200	220

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						270	250	230	200	180	160	140
KMP-178	3.00	05	2.00	3ø	HEAD IN METERS.	25	30	35	40	45	50	55
KMP-179	5.00	08	2.00	3ø		40	48	56	64	72	80	88
KMP-180	6.00	10	2.00	3ø		50	60	70	80	90	100	110
KMP-181	7.50	12	2.00	3ø		60	72	84	96	108	120	132
KMP-182	7.50	13	2.00	3ø		65	78	91	104	117	130	143
KMP-410	10.00	15	2.00	3ø		75	90	105	120	135	150	165
KMP-411	10.00	16	2.00	3ø		80	96	112	128	144	160	176

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						340	330	290	260	225	180	140
KMP-412	3.00	4	2.00	3ø	HEAD IN METERS.	20	24	28	32	36	40	44
KMP-413	5.00	6	2.00	3ø		30	36	42	48	54	60	66
KMP-414	6.00	8	2.00	3ø		40	48	56	64	72	80	88
KMP-415	7.50	10	2.00	3ø		50	60	70	80	90	100	110
KMP-416	10.00	12	2.00	3ø		60	72	84	96	108	120	132
KMP-417	10.00	13	2.00	3ø		65	78	91	104	117	130	143

MODEL NO.	H.P.	STAGE	OUTLET	PHASE	DISCHARGE IN L.P.M.							
						360	340	310	280	240	200	160
KMP-418	3.00	3	2.00	3ø	HEAD IN METERS.	15	18	21	24	27	30	33
KMP-419	5.00	5	2.00	3ø		25	30	35	40	45	50	55
KMP-420	6.00	6	2.00	3ø		30	36	42	48	54	60	66
KMP-421	7.50	8	2.00	3ø		40	48	56	64	72	80	88
KMP-422	10.00	10	2.00	3ø		50	60	70	80	90	100	110