



A part of your family....

# V/6 K-Type 142 MM Ø

(Suitable for 150 mm Bore Dia.)

**50 Feet**

## 50 Feet Stainless Steel Pumps Set

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |     |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|
|           |       |       |        |       |                     | 170 | 150 | 145 | 130 | 120 | 80  | 55  |
| KMP-89    | 3.00  | 06    | 2.00   | 3ø    | HEAD IN METERS.     | 30  | 42  | 54  | 66  | 72  | 84  | 90  |
| KMP-90    | 4.00  | 08    | 2.00   | 3ø    |                     | 40  | 56  | 72  | 88  | 96  | 112 | 120 |
| KMP-91    | 5.00  | 10    | 2.00   | 3ø    |                     | 50  | 70  | 90  | 110 | 120 | 140 | 150 |
| KMP-92    | 6.00  | 12    | 2.00   | 3ø    |                     | 60  | 84  | 108 | 132 | 144 | 188 | 180 |
| KMP-93    | 7.50  | 15    | 2.00   | 3ø    |                     | 75  | 105 | 135 | 165 | 180 | 210 | 225 |
| KMP-94    | 10.00 | 20    | 2.00   | 3ø    |                     | 112 | 140 | 182 | 201 | 240 | 255 | 291 |
| KMP-95    | 12.50 | 24    | 2.00   | 3ø    |                     | 138 | 165 | 194 | 230 | 288 | 314 | 347 |
| KMP-96    | 15.00 | 28    | 2.00   | 3ø    |                     | 152 | 215 | 260 | 300 | 336 | 378 | 415 |
| KMP-473   | 3.00  | 06    | 2.00   | 1ø    | SP                  | 30  | 42  | 54  | 66  | 72  | 84  | 90  |
| KMP-474   | 4.00  | 08    | 2.00   | 1ø    | SP                  | 40  | 56  | 72  | 88  | 96  | 112 | 120 |
| KMP-475   | 5.00  | 10    | 2.00   | 1ø    | SP                  | 50  | 70  | 90  | 110 | 120 | 140 | 150 |

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |     |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|
|           |       |       |        |       |                     | 225 | 220 | 180 | 160 | 145 | 110 | 90  |
| KMP-97    | 3.00  | 05    | 2.00   | 3ø    | HEAD IN METERS.     | 25  | 35  | 45  | 55  | 60  | 70  | 75  |
| KMP-98    | 4.00  | 07    | 2.00   | 3ø    |                     | 35  | 49  | 63  | 77  | 84  | 98  | 105 |
| KMP-99    | 5.00  | 08    | 2.00   | 3ø    |                     | 40  | 56  | 72  | 88  | 96  | 112 | 120 |
| KMP-100   | 6.00  | 10    | 2.00   | 3ø    |                     | 50  | 70  | 90  | 110 | 120 | 140 | 150 |
| KMP-101   | 7.50  | 12    | 2.00   | 3ø    |                     | 60  | 84  | 108 | 132 | 144 | 168 | 180 |
| KMP-102   | 10.00 | 16    | 2.00   | 3ø    |                     | 80  | 112 | 144 | 176 | 192 | 224 | 240 |
| KMP-103   | 12.50 | 20    | 2.00   | 3ø    |                     | 100 | 140 | 180 | 220 | 240 | 280 | 300 |
| KMP-104   | 15.00 | 24    | 2.00   | 3ø    |                     | 120 | 168 | 216 | 264 | 288 | 336 | 360 |
| KMP-105   | 17.50 | 26    | 2.00   | 3ø    | HEAD IN METERS.     | 130 | 182 | 234 | 286 | 312 | 364 | 390 |
| KMP-106   | 20.00 | 30    | 2.00   | 3ø    |                     | 150 | 210 | 270 | 330 | 360 | 420 | 450 |
| KMP-476   | 3.00  | 05    | 2.00   | 1ø    | SP                  | 25  | 35  | 45  | 55  | 60  | 70  | 75  |
| KMP-477   | 4.00  | 07    | 2.00   | 1ø    | SP                  | 35  | 49  | 63  | 77  | 84  | 98  | 105 |
| KMP-478   | 5.00  | 08    | 2.00   | 1ø    | SP                  | 40  | 56  | 72  | 88  | 96  | 112 | 120 |



A part of your family....

# V/6 K-Type 142 MM Ø

(Suitable for 150 mm Bore Dia.)

**50 Feet**

## 50 Feet Stainless Steel Pumps Set

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |     |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|
|           |       |       |        |       |                     | 310 | 275 | 255 | 240 | 205 | 160 | 125 |
| KMP-107   | 3.00  | 04    | 2.00   | 3Ø    | HEAD IN METERS.     | 20  | 28  | 36  | 44  | 48  | 56  | 60  |
| KMP-108   | 4.00  | 05    | 2.00   | 3Ø    |                     | 25  | 35  | 45  | 55  | 60  | 70  | 75  |
| KMP-109   | 5.00  | 06    | 2.00   | 3Ø    |                     | 30  | 42  | 54  | 66  | 72  | 84  | 90  |
| KMP-110   | 6.00  | 08    | 2.00   | 3Ø    |                     | 40  | 56  | 72  | 88  | 96  | 112 | 120 |
| KMP-111   | 7.50  | 10    | 2.00   | 3Ø    |                     | 50  | 70  | 90  | 110 | 120 | 140 | 150 |
| KMP-112   | 10.00 | 12    | 2.00   | 3Ø    |                     | 60  | 84  | 108 | 132 | 144 | 168 | 180 |
| KMP-113   | 12.50 | 15    | 2.00   | 3Ø    |                     | 75  | 105 | 135 | 165 | 180 | 210 | 225 |
| KMP-114   | 15.00 | 18    | 2.00   | 3Ø    |                     | 90  | 125 | 162 | 198 | 216 | 252 | 270 |
| KMP-115   | 17.50 | 21    | 2.00   | 3Ø    |                     | 105 | 147 | 189 | 231 | 252 | 294 | 315 |
| KMP-116   | 20.00 | 24    | 2.00   | 3Ø    |                     | 120 | 168 | 216 | 264 | 288 | 336 | 360 |
| KMP-479   | 3.00  | 04    | 2.00   | 1Ø    | SP                  | 20  | 28  | 36  | 44  | 48  | 56  | 60  |
| KMP-480   | 4.00  | 05    | 2.00   | 1Ø    | SP                  | 25  | 35  | 45  | 55  | 60  | 70  | 75  |
| KMP-481   | 5.00  | 06    | 2.00   | 1Ø    | SP                  | 30  | 42  | 54  | 66  | 72  | 84  | 90  |

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |     |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|
|           |       |       |        |       |                     | 390 | 360 | 310 | 275 | 245 | 190 | 140 |
| KMP-117   | 3.00  | 03    | 2.00   | 3Ø    | HEAD IN METERS.     | 15  | 21  | 27  | 33  | 36  | 42  | 45  |
| KMP-118   | 4.00  | 04    | 2.00   | 3Ø    |                     | 20  | 28  | 36  | 44  | 48  | 56  | 60  |
| KMP-119   | 5.00  | 05    | 2.00   | 3Ø    |                     | 25  | 35  | 45  | 55  | 60  | 70  | 75  |
| KMP-120   | 6.00  | 06    | 2.00   | 3Ø    |                     | 30  | 42  | 54  | 66  | 72  | 84  | 90  |
| KMP-121   | 7.50  | 08    | 2.00   | 3Ø    |                     | 40  | 56  | 72  | 88  | 96  | 112 | 120 |
| KMP-122   | 10.00 | 10    | 2.00   | 3Ø    |                     | 50  | 70  | 90  | 110 | 120 | 140 | 150 |
| KMP-123   | 12.50 | 12    | 2.00   | 3Ø    |                     | 60  | 84  | 108 | 132 | 144 | 168 | 180 |
| KMP-124   | 15.00 | 15    | 2.00   | 3Ø    |                     | 75  | 105 | 135 | 165 | 180 | 210 | 225 |
| KMP-125   | 17.50 | 18    | 2.00   | 3Ø    |                     | 90  | 126 | 162 | 198 | 216 | 252 | 270 |
| KMP-126   | 20.00 | 20    | 2.00   | 3Ø    |                     | 100 | 140 | 180 | 220 | 240 | 280 | 300 |
| KMP-482   | 3.00  | 03    | 2.00   | 1Ø    | SP                  | 15  | 21  | 27  | 33  | 36  | 42  | 45  |
| KMP-483   | 4.00  | 04    | 2.00   | 1Ø    | SP                  | 20  | 28  | 36  | 44  | 48  | 56  | 60  |
| KMP-484   | 5.00  | 05    | 2.00   | 1Ø    | SP                  | 25  | 35  | 45  | 55  | 60  | 70  | 75  |



A part of your family....

# V/6 K-Type 142 MM Ø

(Suitable for 100 mm Bore Dia.)

**50 Feet**

## 50 Feet Stainless Steel Pumps Set

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |            |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|------------|-----|-----|-----|
|           |       |       |        |       |                     | 500 | 450 | 425 | 380        | 340 | 260 | 220 |
| KMP-127   | 4.00  | 03    | 2.50   | 3Ø    | HEAD IN METERS.     | 15  | 21  | 27  | <b>33</b>  | 36  | 42  | 45  |
| KMP-128   | 5.00  | 04    | 2.50   | 3Ø    |                     | 20  | 28  | 36  | <b>44</b>  | 48  | 56  | 60  |
| KMP-129   | 6.00  | 05    | 2.50   | 3Ø    |                     | 25  | 35  | 45  | <b>55</b>  | 60  | 70  | 75  |
| KMP-130   | 7.50  | 06    | 2.50   | 3Ø    |                     | 30  | 42  | 54  | <b>66</b>  | 72  | 84  | 90  |
| KMP-131   | 10.00 | 08    | 2.50   | 3Ø    |                     | 40  | 56  | 72  | <b>88</b>  | 96  | 112 | 120 |
| KMP-132   | 12.50 | 10    | 2.50   | 3Ø    |                     | 50  | 70  | 90  | <b>100</b> | 120 | 140 | 150 |
| KMP-133   | 15.00 | 12    | 2.50   | 3Ø    |                     | 60  | 84  | 108 | <b>132</b> | 144 | 168 | 180 |
| KMP-134   | 17.50 | 14    | 2.50   | 3Ø    |                     | 70  | 98  | 126 | <b>154</b> | 168 | 196 | 210 |
| KMP-135   | 20.00 | 16    | 2.50   | 3Ø    |                     | 80  | 112 | 144 | <b>176</b> | 192 | 224 | 240 |
| KMP-136   | 25.00 | 20    | 2.50   | 3Ø    |                     | 100 | 140 | 180 | <b>220</b> | 240 | 280 | 300 |
| KMP-485   | 4.00  | 03    | 2.50   | 1Ø    | SP                  | 15  | 27  | 27  | <b>33</b>  | 36  | 42  | 45  |
| KMP-486   | 5.00  | 04    | 2.50   | 1Ø    | SP                  | 20  | 28  | 36  | <b>44</b>  | 48  | 56  | 60  |

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |            |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|------------|-----|-----|-----|
|           |       |       |        |       |                     | 580 | 565 | 490 | 450        | 400 | 310 | 240 |
| KMP-137   | 3.00  | 02    | 2.50   | 3Ø    | HEAD IN METERS.     | 10  | 14  | 18  | <b>22</b>  | 24  | 28  | 30  |
| KMP-138   | 5.00  | 03    | 2.50   | 3Ø    |                     | 15  | 21  | 27  | <b>33</b>  | 36  | 42  | 45  |
| KMP-139   | 6.00  | 04    | 2.50   | 3Ø    |                     | 20  | 28  | 36  | <b>44</b>  | 48  | 56  | 60  |
| KMP-140   | 7.50  | 05    | 2.50   | 3Ø    |                     | 25  | 35  | 45  | <b>55</b>  | 60  | 70  | 75  |
| KMP-141   | 10.00 | 07    | 2.50   | 3Ø    |                     | 35  | 49  | 63  | <b>77</b>  | 84  | 98  | 105 |
| KMP-142   | 12.50 | 08    | 2.50   | 3Ø    |                     | 40  | 56  | 72  | <b>88</b>  | 96  | 112 | 120 |
| KMP-143   | 15.00 | 10    | 2.50   | 3Ø    |                     | 50  | 70  | 90  | <b>110</b> | 120 | 140 | 150 |
| KMP-144   | 17.50 | 12    | 2.50   | 3Ø    |                     | 60  | 84  | 108 | <b>132</b> | 144 | 168 | 180 |
| KMP-145   | 20.00 | 13    | 2.50   | 3Ø    |                     | 65  | 91  | 117 | <b>143</b> | 156 | 182 | 195 |
| KMP-146   | 25.00 | 17    | 2.50   | 3Ø    |                     | 85  | 119 | 153 | <b>187</b> | 204 | 238 | 255 |
| KMP-487   | 3.00  | 02    | 2.50   | 1Ø    | SP                  | 10  | 14  | 18  | <b>22</b>  | 24  | 28  | 30  |
| KMP-489   | 5.00  | 03    | 2.50   | 1Ø    | SP                  | 15  | 21  | 27  | <b>33</b>  | 36  | 42  | 45  |



A part of your family....

# V/6 K-Type 142 MM Ø

(Suitable for 100 mm Bore Dia.)

**50 Feet**

50 Feet Stainless Steel Pumps Set

Performance At Rated Voltage i.e. 415v, 50Hz, Ac Supply.

| MODEL NO. | H.P.  | STAGE | OUTLET | PHASE | DISCHARGE IN L.P.M. |     |     |     |     |     |     |     |
|-----------|-------|-------|--------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|
|           |       |       |        |       |                     | 750 | 700 | 670 | 590 | 490 | 440 | 300 |
| KMP-147   | 4.00  | 02    | 3.00   | 3Ø    | HEAD IN METERS.     | 06  | 10  | 14  | 18  | 22  | 24  | 28  |
| KMP-148   | 6.00  | 03    | 3.00   | 3Ø    |                     | 09  | 15  | 21  | 27  | 33  | 36  | 42  |
| KMP-149   | 7.50  | 04    | 3.00   | 3Ø    |                     | 12  | 20  | 28  | 36  | 44  | 48  | 56  |
| KMP-150   | 10.00 | 05    | 3.00   | 3Ø    |                     | 15  | 25  | 35  | 45  | 55  | 60  | 70  |
| KMP-151   | 12.50 | 06    | 3.00   | 3Ø    |                     | 18  | 30  | 42  | 54  | 66  | 72  | 84  |
| KMP-152   | 15.00 | 08    | 3.00   | 3Ø    |                     | 24  | 40  | 56  | 72  | 88  | 96  | 112 |
| KMP-153   | 17.50 | 09    | 3.00   | 3Ø    |                     | 27  | 45  | 63  | 81  | 99  | 108 | 126 |
| KMP-154   | 20.00 | 10    | 3.00   | 3Ø    |                     | 30  | 50  | 70  | 90  | 110 | 120 | 140 |
| KMP-155   | 25.00 | 13    | 3.00   | 3Ø    |                     | 39  | 65  | 91  | 117 | 143 | 156 | 182 |